## Adult Influenza Vaccine Informed Consent and Release Form UI Health Ambulatory Care Pharmacy Dept- West Campus Student Clinic 2023 PLEASE PRINT CLEARLY

Print Last Name		Print First Name	st Name Middle Initial		Birth Date			emale Nale
Addr	ess	Ci	City State Zip C		Zip Code	Contact Phone #		
1) I have CAMPUS CARE insurance ☐ YES, UIN # ☐ NO> STOP, see state of the s								staff
Who is your primary care physician (PCP) or PCP CLINIC name?  Office phone  MD fax							ax if ava	ailable
Please answer the following questions to help us determine if you are eligible to get a FLU SHOT today. If the question is not clear, please ask.							YES	NO
5)	Do you have fever	c, cough, loss of taste or nose, nausea, vomiting	r smell, sore throat, s	hortness of b				
6)		days, do you have a hi						
Do you have a <u>serious</u> allergy to: <u>egg protein, formaldehyde, hydrocortisone or gentamycin</u> which is contained in today's flu vaccine, FLUARIX?  If yes, describe:								
8)	Have you received	a flu shot in the past?						
9)	Have you ever had If yes, describe:	d a <u>serious</u> reaction aft	er receiving the flu v	accine during	your lifetime?			
10)	Do you have or ev	er had Guillain-Barré s	yndrome, described a	as acute para	lysis?			
10)	If yes, you are NC	OT eligible for a flu sh				for a flu shot		_
PLEASE READ AND SIGN BELOW:  I have had the opportunity to read the Influenza Vaccine Information Sheet (VIS) dated 8/6/2021 and was given a chance to ask questions, which were answered to my satisfaction. I understand the benefits and risks of the vaccine. I request and consent that the vaccination be given to me.  I agree to remain in the area for up to 15 minutes and report back to the pharmacist if I experience any unusual effects post-administration before leaving the premises.  On behalf of myself, my heirs and personal representatives, I hereby release and hold harmless the University of Illinois at Chicago, UI Hospital & Health Science Systems, UI Health Pharmacy department, the UIC College of Pharmacy as applicable, its staff, agents, successors, divisions, affiliates, subsidiaries, officers, directors, contractors and employees from any and all liabilities or claims whether known or unknown arising out of, in connection with, or in any way related to the administration of the vaccine listed below. I understand that I am giving UI Health Pharmacy permission to release today's immunization details to my physician, as applicable, to enable UI Health Pharmacy to provide the best possible care, with respect to the vaccination.								
SIGN HERE Date								
**************************************								
CAMPUS CARE UIN# VERIFIED  CONSENT FORM REVIEWER: Pharmacist Reviewed INITIAL HERE: Student may receive vaccine today								
N	ame of vaccine	LOT # & EXP DATE	DATE ADMINISTERED	VIS DATE	DATE VIS GIVEN TO PT	IM SITE (CIRCLE ONE)	TIN	
FLUARIX QUAD PF		Lot: 32P2F	9/9/2022	08/06/2021	9/9/2022	LEFT DELTOID		
	(GSK) 0.5mL	Exp: 06/30/23				RIGHT DELTOID		

### **VACCINE INFORMATION STATEMENT**

# Influenza (Flu) Vaccine (Inactivated or Recombinant): What you need to know

Many vaccine information statements are available in Spanish and other languages. See www.immunize.org/vis

Hojas de información sobre vacunas están disponibles en español y en muchos otros idiomas. Visite www.immunize.org/vis

### 1. Why get vaccinated?

Influenza vaccine can prevent influenza (flu).

Flu is a contagious disease that spreads around the United States every year, usually between October and May. Anyone can get the flu, but it is more dangerous for some people. Infants and young children, people 65 years and older, pregnant people, and people with certain health conditions or a weakened immune system are at greatest risk of flu complications.

Pneumonia, bronchitis, sinus infections, and ear infections are examples of flu-related complications. If you have a medical condition, such as heart disease, cancer, or diabetes, flu can make it worse.

Flu can cause fever and chills, sore throat, muscle aches, fatigue, cough, headache, and runny or stuffy nose. Some people may have vomiting and diarrhea, though this is more common in children than adults.

In an average year, thousands of people in the United States die from flu, and many more are hospitalized. Flu vaccine prevents millions of illnesses and flu-related visits to the doctor each year.

#### 2. Influenza vaccines

CDC recommends everyone 6 months and older get vaccinated every flu season. **Children 6 months through 8 years of age** may need 2 doses during a single flu season. **Everyone else** needs only 1 dose each flu season.

It takes about 2 weeks for protection to develop after vaccination.

There are many flu viruses, and they are always changing. Each year a new flu vaccine is made to protect against the influenza viruses believed to be likely to cause disease in the upcoming flu season.

Even when the vaccine doesn't exactly match these viruses, it may still provide some protection.

Influenza vaccine does not cause flu.

Influenza vaccine may be given at the same time as other vaccines.

### 3. Talk with your health care provider

Tell your vaccination provider if the person getting the vaccine:

- Has had an allergic reaction after a previous dose of influenza vaccine, or has any severe, lifethreatening allergies
- Has ever had Guillain-Barré Syndrome (also called "GBS")

In some cases, your health care provider may decide to postpone influenza vaccination until a future visit.

Influenza vaccine can be administered at any time during pregnancy. People who are or will be pregnant during influenza season should receive inactivated influenza vaccine.

People with minor illnesses, such as a cold, may be vaccinated. People who are moderately or severely ill should usually wait until they recover before getting influenza vaccine.

Your health care provider can give you more information.



### 4. Risks of a vaccine reaction

- Soreness, redness, and swelling where the shot is given, fever, muscle aches, and headache can happen after influenza vaccination.
- There may be a very small increased risk of Guillain-Barré Syndrome (GBS) after inactivated influenza vaccine (the flu shot).

Young children who get the flu shot along with pneumococcal vaccine (PCV13) and/or DTaP vaccine at the same time might be slightly more likely to have a seizure caused by fever. Tell your health care provider if a child who is getting flu vaccine has ever had a seizure.

People sometimes faint after medical procedures, including vaccination. Tell your provider if you feel dizzy or have vision changes or ringing in the ears.

As with any medicine, there is a very remote chance of a vaccine causing a severe allergic reaction, other serious injury, or death.

### 5. What if there is a serious problem?

An allergic reaction could occur after the vaccinated person leaves the clinic. If you see signs of a severe allergic reaction (hives, swelling of the face and throat, difficulty breathing, a fast heartbeat, dizziness, or weakness), call 9-1-1 and get the person to the nearest hospital.

For other signs that concern you, call your health care provider.

Adverse reactions should be reported to the Vaccine Adverse Event Reporting System (VAERS). Your health care provider will usually file this report, or you can do it yourself. Visit the VAERS website at www.vaers.hhs.gov or call 1-800-822-7967. VAERS is only for reporting reactions, and VAERS staff members do not give medical advice.

### 6. The National Vaccine Injury **Compensation Program**

The National Vaccine Injury Compensation Program (VICP) is a federal program that was created to compensate people who may have been injured by certain vaccines. Claims regarding alleged injury or death due to vaccination have a time limit for filing, which may be as short as two years. Visit the VICP website at www.hrsa.gov/vaccinecompensation or call 1-800-338-2382 to learn about the program and about filing a claim.

### 7. How can I learn more?

- Ask your health care provider.
- Call your local or state health department.
- Visit the website of the Food and Drug Administration (FDA) for vaccine package inserts and additional information at www.fda.gov/vaccines-blood-biologics/vaccines.
- Contact the Centers for Disease Control and Prevention (CDC):
- Call 1-800-232-4636 (1-800-CDC-INFO) or
- Visit CDC's website at www.cdc.gov/flu.

